

LHCb group publications (January 2015-June 2017)

- [1] R. Aaij et al. (LHCb Collaboration). “New algorithms for identifying the flavour of B^0 mesons using pions and protons”. *Eur. Phys. J.* C77.4 (2017), p. 238. arXiv: [1610.06019 \[hep-ex\]](#).
- [2] R. Aaij et al. (LHCb Collaboration). “Search for long-lived scalar particles in $B^+ \rightarrow K^+\chi(\mu^+\mu^-)$ decays”. *Phys. Rev.* D95.7 (2017), p. 071101. arXiv: [1612.07818 \[hep-ex\]](#).
- [3] Roel Aaij et al. (LHCb Collaboration). “Amplitude analysis of $B^+ \rightarrow J/\psi\phi K^+$ decays”. *Phys. Rev.* D95.1 (2017), p. 012002. arXiv: [1606.07898 \[hep-ex\]](#).
- [4] Roel Aaij et al. (LHCb Collaboration). “Evidence for the two-body charmless baryonic decay $B^+ \rightarrow p\bar{\Lambda}$ ”. *JHEP* 04 (2017), p. 162. arXiv: [1611.07805 \[hep-ex\]](#).
- [5] Roel Aaij et al. (LHCb Collaboration). “First experimental study of photon polarization in radiative B_s^0 decays”. *Phys. Rev. Lett.* 118.2 (2017). [Addendum: *Phys. Rev. Lett.* 118,no.10,109901(2017)], p. 021801. arXiv: [1609.02032 \[hep-ex\]](#).
- [6] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP asymmetries in $D^\pm \rightarrow \eta'\pi^\pm$ and $D_s^\pm \rightarrow \eta'\pi^\pm$ decays”. *Phys. Lett.* B771 (2017), pp. 21–30. arXiv: [1701.01871 \[hep-ex\]](#).
- [7] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP asymmetry in $D^0 \rightarrow K^-K^+$ decays”. *Phys. Lett.* B767 (2017), pp. 177–187. arXiv: [1610.09476 \[hep-ex\]](#).
- [8] Roel Aaij et al. (LHCb Collaboration). “Measurement of forward $t\bar{t}$, $W+b\bar{b}$ and $W+c\bar{c}$ production in pp collisions at $\sqrt{s} = 8$ TeV”. *Phys. Lett.* B767 (2017), pp. 110–120. arXiv: [1610.08142 \[hep-ex\]](#).
- [9] Roel Aaij et al. (LHCb Collaboration). “Measurement of matter-antimatter differences in beauty baryon decays”. *Nature Phys.* 13 (2017), pp. 391–396. arXiv: [1609.05216 \[hep-ex\]](#).
- [10] Roel Aaij et al. (LHCb Collaboration). “Measurement of the B^\pm production asymmetry and the CP asymmetry in $B^\pm \rightarrow J/\psi K^\pm$ decays”. *Phys. Rev.* D95.5 (2017), p. 052005. arXiv: [1701.05501 \[hep-ex\]](#).
- [11] Roel Aaij et al. (LHCb Collaboration). “Measurement of the $B_s^0 \rightarrow \mu^+\mu^-$ branching fraction and effective lifetime and search for $B^0 \rightarrow \mu^+\mu^-$ decays”. *Phys. Rev. Lett.* 118.19 (2017), p. 191801. arXiv: [1703.05747 \[hep-ex\]](#).
- [12] Roel Aaij et al. (LHCb Collaboration). “Measurement of the b -quark production cross-section in 7 and 13 TeV pp collisions”. *Phys. Rev. Lett.* 118.5 (2017), p. 052002. arXiv: [1612.05140 \[hep-ex\]](#).
- [13] Roel Aaij et al. (LHCb Collaboration). “Measurement of the CP violation parameter A_Γ in $D^0 \rightarrow K^+K^-$ and $D^0 \rightarrow \pi^+\pi^-$ decays”. *Phys. Rev. Lett.* 118.26 (2017), p. 261803. arXiv: [1702.06490 \[hep-ex\]](#).
- [14] Roel Aaij et al. (LHCb Collaboration). “Measurement of the J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 13$ TeV”. *JHEP* 06 (2017), p. 047. arXiv: [1612.07451 \[hep-ex\]](#).
- [15] Roel Aaij et al. (LHCb Collaboration). “Measurement of the phase difference between short- and long-distance amplitudes in the $B^+ \rightarrow K^+\mu^+\mu^-$ decay”. *Eur. Phys. J.* C77.3 (2017), p. 161. arXiv: [1612.06764 \[hep-ex\]](#).
- [16] Roel Aaij et al. (LHCb Collaboration). “Measurement of the ratio of branching fractions and difference in CP asymmetries of the decays $B^+ \rightarrow J/\psi\pi^+$ and $B^+ \rightarrow J/\psi K^+$ ”. *JHEP* 03 (2017), p. 036. arXiv: [1612.06116 \[hep-ex\]](#).
- [17] Roel Aaij et al. (LHCb Collaboration). “Measurements of charm mixing and CP violation using $D^0 \rightarrow K^\pm\pi^\mp$ decays”. *Phys. Rev.* D95.5 (2017), p. 052004. arXiv: [1611.06143 \[hep-ex\]](#).
- [18] Roel Aaij et al. (LHCb Collaboration). “Measurements of prompt charm production cross-sections in pp collisions at $\sqrt{s} = 5$ TeV”. *JHEP* 06 (2017), p. 147. arXiv: [1610.02230 \[hep-ex\]](#).
- [19] Roel Aaij et al. (LHCb Collaboration). “Observation of $B^+ \rightarrow J/\psi 3\pi^+ 2\pi^-$ and $B^+ \rightarrow \psi(2S)\pi^+\pi^+\pi^-$ decays”. *Eur. Phys. J.* C77.2 (2017), p. 72. arXiv: [1610.01383 \[hep-ex\]](#).
- [20] Roel Aaij et al. (LHCb Collaboration). “Observation of $B_c^+ \rightarrow D^0 K^+$ decays”. *Phys. Rev. Lett.* 118.11 (2017), p. 111803. arXiv: [1701.01856 \[hep-ex\]](#).

- [21] Roel Aaij et al. (LHCb Collaboration). “Observation of $B_c^+ \rightarrow J/\psi D^{(*)} K^{(*)}$ decays”. *Phys. Rev.* D95.3 (2017), p. 032005. arXiv: [1612.07421 \[hep-ex\]](#).
- [22] Roel Aaij et al. (LHCb Collaboration). “Observation of $\eta_c(2S) \rightarrow p\bar{p}$ and search for $X(3872) \rightarrow p\bar{p}$ decays”. *Phys. Lett.* B769 (2017), pp. 305–313. arXiv: [1607.06446 \[hep-ex\]](#).
- [23] Roel Aaij et al. (LHCb Collaboration). “Observation of five new narrow Ω_c^0 states decaying to $\Xi_c^+ K^-$ ”. *Phys. Rev. Lett.* 118.18 (2017), p. 182001. arXiv: [1703.04639 \[hep-ex\]](#).
- [24] Roel Aaij et al. (LHCb Collaboration). “Observation of $J/\psi\phi$ structures consistent with exotic states from amplitude analysis of $B^+ \rightarrow J/\psi\phi K^+$ decays”. *Phys. Rev. Lett.* 118.2 (2017), p. 022003. arXiv: [1606.07895 \[hep-ex\]](#).
- [25] Roel Aaij et al. (LHCb Collaboration). “Observation of the annihilation decay mode $B^0 \rightarrow K^+ K^-$ ”. *Phys. Rev. Lett.* 118.8 (2017), p. 081801. arXiv: [1610.08288 \[hep-ex\]](#).
- [26] Roel Aaij et al. (LHCb Collaboration). “Observation of the $\Xi_b^- \rightarrow J/\psi\Lambda K^-$ decay”. *Phys. Lett.* B772 (2017), pp. 265–273. arXiv: [1701.05274 \[hep-ex\]](#).
- [27] Roel Aaij et al. (LHCb Collaboration). “Observation of the decay $\Lambda_b^0 \rightarrow pK^-\mu^+\mu^-$ and a search for CP violation”. *JHEP* 06 (2017), p. 108. arXiv: [1703.00256 \[hep-ex\]](#).
- [28] Roel Aaij et al. (LHCb Collaboration). “Observation of the decay $\Xi_b^- \rightarrow pK^-K^-$ ”. *Phys. Rev. Lett.* 118.7 (2017), p. 071801. arXiv: [1612.02244 \[hep-ex\]](#).
- [29] Roel Aaij et al. (LHCb Collaboration). “Observation of the decay $B_s^0 \rightarrow \phi\pi^+\pi^-$ and evidence for $B^0 \rightarrow \phi\pi^+\pi^-$ ”. *Phys. Rev.* D95.1 (2017), p. 012006. arXiv: [1610.05187 \[hep-ex\]](#).
- [30] Roel Aaij et al. (LHCb Collaboration). “Observation of the suppressed decay $\Lambda_b^0 \rightarrow p\pi^-\mu^+\mu^-$ ”. *JHEP* 04 (2017), p. 029. arXiv: [1701.08705 \[hep-ex\]](#).
- [31] Roel Aaij et al. (LHCb Collaboration). “Search for CP violation in the phase space of $D^0 \rightarrow \pi^+\pi^-\pi^+\pi^-$ decays”. *Phys. Lett.* B769 (2017), pp. 345–356. arXiv: [1612.03207 \[hep-ex\]](#).
- [32] Roel Aaij et al. (LHCb Collaboration). “Search for decays of neutral beauty mesons into four muons”. *JHEP* 03 (2017), p. 001. arXiv: [1611.07704 \[hep-ex\]](#).
- [33] Roel Aaij et al. (LHCb Collaboration). “Search for massive long-lived particles decaying semileptonically in the LHCb detector”. *Eur. Phys. J.* C77.4 (2017), p. 224. arXiv: [1612.00945 \[hep-ex\]](#).
- [34] Roel Aaij et al. (LHCb Collaboration). “Search for the $B_s^0 \rightarrow \eta'\phi$ decay”. *JHEP* 05 (2017), p. 158. arXiv: [1612.08110 \[hep-ex\]](#).
- [35] Roel Aaij et al. (LHCb Collaboration). “Search for the CP -violating strong decays $\eta \rightarrow \pi^+\pi^-$ and $\eta'(958) \rightarrow \pi^+\pi^-$ ”. *Phys. Lett.* B764 (2017), pp. 233–240. arXiv: [1610.03666 \[hep-ex\]](#).
- [36] Roel Aaij et al. (LHCb Collaboration). “Search for the decays $B_s^0 \rightarrow \tau^+\tau^-$ and $B^0 \rightarrow \tau^+\tau^-$ ”. *Phys. Rev. Lett.* 118.25 (2017), p. 251802. arXiv: [1703.02508 \[hep-ex\]](#).
- [37] Roel Aaij et al. (LHCb Collaboration). “Search for the suppressed decays $B^+ \rightarrow K^+K^+\pi^-$ and $B^+ \rightarrow \pi^+\pi^+K^-$ ”. *Phys. Lett.* B765 (2017), pp. 307–316. arXiv: [1608.01478 \[hep-ex\]](#).
- [38] Roel Aaij et al. (LHCb Collaboration). “Study of J/ψ Production in Jets”. *Phys. Rev. Lett.* 118.19 (2017), p. 192001. arXiv: [1701.05116 \[hep-ex\]](#).
- [39] Roel Aaij et al. (LHCb Collaboration). “Study of the $D^0 p$ amplitude in $\Lambda_b^0 \rightarrow D^0 p\pi^-$ decays”. *JHEP* 05 (2017), p. 030. arXiv: [1701.07873 \[hep-ex\]](#).
- [40] R. Aaij et al. (LHCb Collaboration). “Study of the production of Λ_b^0 and \overline{B}^0 hadrons in pp collisions and first measurement of the $\Lambda_b^0 \rightarrow J/\psi p K^-$ branching fraction”. *Chin. Phys.* C40.1 (2016), p. 011001. arXiv: [1509.00292 \[hep-ex\]](#).
- [41] Roel Aaij et al. (LHCb Collaboration). “A new algorithm for identifying the flavour of B_s^0 mesons at LHCb”. *JINST* 11.05 (2016), P05010. arXiv: [1602.07252 \[hep-ex\]](#).
- [42] Roel Aaij et al. (LHCb Collaboration). “A precise measurement of the B^0 meson oscillation frequency”. *Eur. Phys. J.* C76.7 (2016), p. 412. arXiv: [1604.03475 \[hep-ex\]](#).
- [43] Roel Aaij et al. (LHCb Collaboration). “Amplitude analysis of $B^- \rightarrow D^+\pi^-\pi^-$ decays”. *Phys. Rev.* D94.7 (2016), p. 072001. arXiv: [1608.01289 \[hep-ex\]](#).

- [44] Roel Aaij et al. (LHCb Collaboration). “Angular analysis of the $B^0 \rightarrow K^{*0} \mu^+ \mu^-$ decay using 3 fb^{-1} of integrated luminosity”. *JHEP* 02 (2016), p. 104. arXiv: [1512.04442 \[hep-ex\]](#).
- [45] Roel Aaij et al. (LHCb Collaboration). “Constraints on the unitarity triangle angle γ from Dalitz plot analysis of $B^0 \rightarrow DK^+ \pi^-$ decays”. *Phys. Rev.* D93.11 (2016). [Erratum: *Phys. Rev.* D94,no.7,079902(2016)], p. 112018. arXiv: [1602.03455 \[hep-ex\]](#).
- [46] Roel Aaij et al. (LHCb Collaboration). “Differential branching fraction and angular moments analysis of the decay $B^0 \rightarrow K^+ \pi^- \mu^+ \mu^-$ in the $K_{0,2}^*(1430)^0$ region”. *JHEP* 12 (2016), p. 065. arXiv: [1609.04736 \[hep-ex\]](#).
- [47] Roel Aaij et al. (LHCb Collaboration). “Evidence for exotic hadron contributions to $\Lambda_b^0 \rightarrow J/\psi p \pi^-$ decays”. *Phys. Rev. Lett.* 117.8 (2016). [Addendum: *Phys. Rev. Lett.* 118,119901(2017)], p. 082003. arXiv: [1606.06999 \[hep-ex\]](#).
- [48] Roel Aaij et al. (LHCb Collaboration). “First observation of $D^0 - \bar{D}^0$ oscillations in $D^0 \rightarrow K^+ \pi^- \pi^+ \pi^-$ decays and measurement of the associated coherence parameters”. *Phys. Rev. Lett.* 116.24 (2016), p. 241801. arXiv: [1602.07224 \[hep-ex\]](#).
- [49] Roel Aaij et al. (LHCb Collaboration). “First observation of the decay $B_s^0 \rightarrow K_S^0 K^*(892)^0$ at LHCb”. *JHEP* 01 (2016), p. 012. arXiv: [1506.08634 \[hep-ex\]](#).
- [50] Roel Aaij et al. (LHCb Collaboration). “First observation of the decay $D^0 \rightarrow K^- \pi^+ \mu^+ \mu^-$ in the $\rho^0\omega$ region of the dimuon mass spectrum”. *Phys. Lett.* B757 (2016), pp. 558–567. arXiv: [1510.08367 \[hep-ex\]](#).
- [51] Roel Aaij et al. (LHCb Collaboration). “First observation of the rare $B^+ \rightarrow D^+ K^+ \pi^-$ decay”. *Phys. Rev.* D93.5 (2016). [Erratum: *Phys. Rev.* D93,no.11,119902(2016)], p. 051101. arXiv: [1512.02494 \[hep-ex\]](#).
- [52] Roel Aaij et al. (LHCb Collaboration). “First study of the CP-violating phase and decay-width difference in $B_s^0 \rightarrow \psi(2S)\phi$ decays”. *Phys. Lett.* B762 (2016), pp. 253–262. arXiv: [1608.04855 \[hep-ex\]](#).
- [53] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP observables in $B^\pm \rightarrow DK^\pm$ and $B^\pm \rightarrow D\pi^\pm$ with two- and four-body D decays”. *Phys. Lett.* B760 (2016), pp. 117–131. arXiv: [1603.08993 \[hep-ex\]](#).
- [54] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP violation in $B^0 \rightarrow D^+ D^-$ decays”. *Phys. Rev. Lett.* 117.26 (2016), p. 261801. arXiv: [1608.06620 \[hep-ex\]](#).
- [55] Roel Aaij et al. (LHCb Collaboration). “Measurement of forward W and Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ ”. *JHEP* 05 (2016), p. 131. arXiv: [1605.00951 \[hep-ex\]](#).
- [56] Roel Aaij et al. (LHCb Collaboration). “Measurement of forward W and Z boson production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ ”. *JHEP* 01 (2016), p. 155. arXiv: [1511.08039 \[hep-ex\]](#).
- [57] Roel Aaij et al. (LHCb Collaboration). “Measurement of forward $W \rightarrow e\nu$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ ”. *JHEP* 10 (2016), p. 030. arXiv: [1608.01484 \[hep-ex\]](#).
- [58] Roel Aaij et al. (LHCb Collaboration). “Measurement of the $B_s^0 \rightarrow D_s^{(*)+} D_s^{(*)-}$ branching fractions”. *Phys. Rev.* D93.9 (2016), p. 092008. arXiv: [1602.07543 \[hep-ex\]](#).
- [59] Roel Aaij et al. (LHCb Collaboration). “Measurement of the $B_s^0 \rightarrow J/\psi \eta$ lifetime”. *Phys. Lett.* B762 (2016), pp. 484–492. arXiv: [1607.06314 \[hep-ex\]](#).
- [60] Roel Aaij et al. (LHCb Collaboration). “Measurement of the CKM angle γ from a combination of LHCb results”. *JHEP* 12 (2016), p. 087. arXiv: [1611.03076 \[hep-ex\]](#).
- [61] Roel Aaij et al. (LHCb Collaboration). “Measurement of the CKM angle γ using $B^0 \rightarrow DK^{*0}$ with $D \rightarrow K_S^0 \pi^+ \pi^-$ decays”. *JHEP* 08 (2016), p. 137. arXiv: [1605.01082 \[hep-ex\]](#).
- [62] Roel Aaij et al. (LHCb Collaboration). “Measurement of the CP asymmetry in $B_s^0 - \bar{B}_s^0$ mixing”. *Phys. Rev. Lett.* 117.6 (2016). [Addendum: *Phys. Rev. Lett.* 118,no.12,129903(2017)], p. 061803. arXiv: [1605.09768 \[hep-ex\]](#).
- [63] Roel Aaij et al. (LHCb Collaboration). “Measurement of the difference of time-integrated CP asymmetries in $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^- \pi^+$ decays”. *Phys. Rev. Lett.* 116.19 (2016), p. 191601. arXiv: [1602.03160 \[hep-ex\]](#).

- [64] Roel Aaij et al. (LHCb Collaboration). “Measurement of the forward Z boson production cross-section in pp collisions at $\sqrt{s} = 13$ TeV”. *JHEP* 09 (2016), p. 136. arXiv: [1607.06495 \[hep-ex\]](#).
- [65] Roel Aaij et al. (LHCb Collaboration). “Measurement of the mass and lifetime of the Ω_b^- baryon”. *Phys. Rev.* D93.9 (2016), p. 092007. arXiv: [1604.01412 \[hep-ex\]](#).
- [66] Roel Aaij et al. (LHCb Collaboration). “Measurement of the properties of the Ξ_b^{*0} baryon”. *JHEP* 05 (2016), p. 161. arXiv: [1604.03896 \[hep-ex\]](#).
- [67] Roel Aaij et al. (LHCb Collaboration). “Measurement of the ratio of branching fractions $\mathcal{B}(B_c^+ \rightarrow J/\psi K^+)/\mathcal{B}(B_c^+ \rightarrow J/\psi \pi^+)$ ”. *JHEP* 09 (2016), p. 153. arXiv: [1607.06823 \[hep-ex\]](#).
- [68] Roel Aaij et al. (LHCb Collaboration). “Measurements of long-range near-side angular correlations in $\sqrt{s_{NN}} = 5$ TeV proton-lead collisions in the forward region”. *Phys. Lett.* B762 (2016), pp. 473–483. arXiv: [1512.00439 \[nucl-ex\]](#).
- [69] Roel Aaij et al. (LHCb Collaboration). “Measurements of prompt charm production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV”. *JHEP* 03 (2016). [Erratum: *JHEP*05,074(2017)], p. 159. arXiv: [1510.01707 \[hep-ex\]](#).
- [70] Roel Aaij et al. (LHCb Collaboration). “Measurements of the S-wave fraction in $B^0 \rightarrow K^+\pi^-\mu^+\mu^-$ decays and the $B^0 \rightarrow K^*(892)^0\mu^+\mu^-$ differential branching fraction”. *JHEP* 11 (2016), p. 047. arXiv: [1606.04731 \[hep-ex\]](#).
- [71] Roel Aaij et al. (LHCb Collaboration). “Model-independent evidence for $J/\psi p$ contributions to $\Lambda_b^0 \rightarrow J/\psi p K^-$ decays”. *Phys. Rev. Lett.* 117.8 (2016), p. 082002. arXiv: [1604.05708 \[hep-ex\]](#).
- [72] Roel Aaij et al. (LHCb Collaboration). “Model-independent measurement of mixing parameters in $D^0 \rightarrow K_S^0\pi^+\pi^-$ decays”. *JHEP* 04 (2016), p. 033. arXiv: [1510.01664 \[hep-ex\]](#).
- [73] Roel Aaij et al. (LHCb Collaboration). “Model-independent measurement of the CKM angle γ using $B^0 \rightarrow DK^{*0}$ decays with $D \rightarrow K_S^0\pi^+\pi^-$ and $K_S^0K^+K^-$ ”. *JHEP* 06 (2016), p. 131. arXiv: [1604.01525 \[hep-ex\]](#).
- [74] Roel Aaij et al. (LHCb Collaboration). “Observation of $\Lambda_b^0 \rightarrow \psi(2S)pK^-$ and $\Lambda_b^0 \rightarrow J/\psi\pi^+\pi^-pK^-$ decays and a measurement of the Λ_b^0 baryon mass”. *JHEP* 05 (2016), p. 132. arXiv: [1603.06961 \[hep-ex\]](#).
- [75] Roel Aaij et al. (LHCb Collaboration). “Observation of $B_s^0 \rightarrow \bar{D}^0 K_S^0$ and evidence for $B_s^0 \rightarrow \bar{D}^{*0} K_S^0$ decays”. *Phys. Rev. Lett.* 116.16 (2016), p. 161802. arXiv: [1603.02408 \[hep-ex\]](#).
- [76] Roel Aaij et al. (LHCb Collaboration). “Observation of the $\Lambda_b^0 \rightarrow \Lambda\phi$ decay”. *Phys. Lett.* B759 (2016), pp. 282–292. arXiv: [1603.02870 \[hep-ex\]](#).
- [77] Roel Aaij et al. (LHCb Collaboration). “Observation of the $B_s^0 \rightarrow J/\psi\phi\phi$ decay”. *JHEP* 03 (2016), p. 040. arXiv: [1601.05284 \[hep-ex\]](#).
- [78] Roel Aaij et al. (LHCb Collaboration). “Observations of $\Lambda_b^0 \rightarrow \Lambda K^+\pi^-$ and $\Lambda_b^0 \rightarrow \Lambda K^+K^-$ decays and searches for other Λ_b^0 and Ξ_b^0 decays to $\Lambda h^+h'^-$ final states”. *JHEP* 05 (2016), p. 081. arXiv: [1603.00413 \[hep-ex\]](#).
- [79] Roel Aaij et al. (LHCb Collaboration). “Production of associated Υ and open charm hadrons in pp collisions at $\sqrt{s} = 7$ and 8 TeV via double parton scattering”. *JHEP* 07 (2016), p. 052. arXiv: [1510.05949 \[hep-ex\]](#).
- [80] Roel Aaij et al. (LHCb Collaboration). “Search for B_c^+ decays to the $p\bar{p}\pi^+$ final state”. *Phys. Lett.* B759 (2016), pp. 313–321. arXiv: [1603.07037 \[hep-ex\]](#).
- [81] Roel Aaij et al. (LHCb Collaboration). “Search for Higgs-like bosons decaying into long-lived exotic particles”. *Eur. Phys. J.* C76.12 (2016), p. 664. arXiv: [1609.03124 \[hep-ex\]](#).
- [82] Roel Aaij et al. (LHCb Collaboration). “Search for Structure in the $B_s^0\pi^\pm$ Invariant Mass Spectrum”. *Phys. Rev. Lett.* 117.15 (2016). [Addendum: *Phys. Rev. Lett.*118,no.10,109904(2017)], p. 152003. arXiv: [1608.00435 \[hep-ex\]](#).
- [83] Roel Aaij et al. (LHCb Collaboration). “Search for the lepton-flavour violating decay $D^0 \rightarrow e^\pm\mu^\mp$ ”. *Phys. Lett.* B754 (2016), pp. 167–175. arXiv: [1512.00322 \[hep-ex\]](#).

- [84] Roel Aaij et al. (LHCb Collaboration). “Search for violations of Lorentz invariance and CPT symmetry in $B_{(s)}^0$ mixing”. *Phys. Rev. Lett.* 116.24 (2016), p. 241601. arXiv: [1603.04804 \[hep-ex\]](#).
- [85] Roel Aaij et al. (LHCb Collaboration). “Studies of the resonance structure in $D^0 \rightarrow K_S^0 K^\pm \pi^\mp$ decays”. *Phys. Rev.* D93.5 (2016), p. 052018. arXiv: [1509.06628 \[hep-ex\]](#).
- [86] Roel Aaij et al. (LHCb Collaboration). “Study of $\psi(2S)$ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV”. *JHEP* 03 (2016), p. 133. arXiv: [1601.07878 \[nucl-ex\]](#).
- [87] Roel Aaij et al. (LHCb Collaboration). “Study of B_c^+ decays to the $K^+ K^- \pi^+$ final state and evidence for the decay $B_c^+ \rightarrow \chi_{c0} \pi^+$ ”. *Phys. Rev.* D94.9 (2016), p. 091102. arXiv: [1607.06134 \[hep-ex\]](#).
- [88] Roel Aaij et al. (LHCb Collaboration). “Study of $D_{sJ}^{(*)+}$ mesons decaying to $D^{*+} K_S^0$ and $D^{*0} K^+$ final states”. *JHEP* 02 (2016), p. 133. arXiv: [1601.01495 \[hep-ex\]](#).
- [89] R. Aaij et al. (LHCb Collaboration). “First observation and amplitude analysis of the $B^- \rightarrow D^+ K^- \pi^-$ decay”. *Phys. Rev.* D91.9 (2015). [Erratum: *Phys. Rev.* D93,no.11,119901(2016)], p. 092002. arXiv: [1503.02995 \[hep-ex\]](#).
- [90] Roel Aaij et al. (LHCb Collaboration). “A study of CP violation in $B^\mp \rightarrow Dh^\mp$ ($h = K, \pi$) with the modes $D \rightarrow K^\mp \pi^\pm \pi^0$, $D \rightarrow \pi^+ \pi^- \pi^0$ and $D \rightarrow K^+ K^- \pi^0$ ”. *Phys. Rev.* D91.11 (2015), p. 112014. arXiv: [1504.05442 \[hep-ex\]](#).
- [91] Roel Aaij et al. (LHCb Collaboration). “Amplitude analysis of $B^0 \rightarrow \bar{D}^0 K^+ \pi^-$ decays”. *Phys. Rev.* D92.1 (2015), p. 012012. arXiv: [1505.01505 \[hep-ex\]](#).
- [92] Roel Aaij et al. (LHCb Collaboration). “Angular analysis and differential branching fraction of the decay $B_s^0 \rightarrow \phi \mu^+ \mu^-$ ”. *JHEP* 09 (2015), p. 179. arXiv: [1506.08777 \[hep-ex\]](#).
- [93] Roel Aaij et al. (LHCb Collaboration). “Angular analysis of the $B^0 \rightarrow K^{*0} e^+ e^-$ decay in the low- q^2 region”. *JHEP* 04 (2015), p. 064. arXiv: [1501.03038 \[hep-ex\]](#).
- [94] Roel Aaij et al. (LHCb Collaboration). “ B flavour tagging using charm decays at the LHCb experiment”. *JINST* 10.10 (2015), P10005. arXiv: [1507.07892 \[hep-ex\]](#).
- [95] Roel Aaij et al. (LHCb Collaboration). “Dalitz plot analysis of $B^0 \rightarrow \bar{D}^0 \pi^+ \pi^-$ decays”. *Phys. Rev.* D92.3 (2015), p. 032002. arXiv: [1505.01710 \[hep-ex\]](#).
- [96] Roel Aaij et al. (LHCb Collaboration). “Determination of γ and $-2\beta_s$ from charmless two-body decays of beauty mesons”. *Phys. Lett.* B741 (2015), pp. 1–11. arXiv: [1408.4368 \[hep-ex\]](#).
- [97] Roel Aaij et al. (LHCb Collaboration). “Determination of the branching fractions of $B_S^0 \rightarrow D_S^+ K^-$ and $B^0 \rightarrow D_S^- K^+$ ”. *JHEP* 05 (2015), p. 019. arXiv: [1412.7654 \[hep-ex\]](#).
- [98] Roel Aaij et al. (LHCb Collaboration). “Determination of the quark coupling strength $|V_{ub}|$ using baryonic decays”. *Nature Phys.* 11 (2015), pp. 743–747. arXiv: [1504.01568 \[hep-ex\]](#).
- [99] Roel Aaij et al. (LHCb Collaboration). “Differential branching fraction and angular analysis of $\Lambda_b^0 \rightarrow \Lambda \mu^+ \mu^-$ decays”. *JHEP* 06 (2015), p. 115. arXiv: [1503.07138 \[hep-ex\]](#).
- [100] Roel Aaij et al. (LHCb Collaboration). “Evidence for the strangeness-changing weak decay $\Xi_b^- \rightarrow \Lambda_b^0 \pi^-$ ”. *Phys. Rev. Lett.* 115.24 (2015), p. 241801. arXiv: [1510.03829 \[hep-ex\]](#).
- [101] Roel Aaij et al. (LHCb Collaboration). “First measurement of the differential branching fraction and CP asymmetry of the $B^\pm \rightarrow \pi^\pm \mu^+ \mu^-$ decay”. *JHEP* 10 (2015), p. 034. arXiv: [1509.00414 \[hep-ex\]](#).
- [102] Roel Aaij et al. (LHCb Collaboration). “First observation and measurement of the branching fraction for the decay $B_s^0 \rightarrow D_s^{*\mp} K^\pm$ ”. *JHEP* 06 (2015), p. 130. arXiv: [1503.09086 \[hep-ex\]](#).
- [103] Roel Aaij et al. (LHCb Collaboration). “First observation of top quark production in the forward region”. *Phys. Rev. Lett.* 115.11 (2015), p. 112001. arXiv: [1506.00903 \[hep-ex\]](#).
- [104] Roel Aaij et al. (LHCb Collaboration). “Forward production of Υ mesons in pp collisions at $\sqrt{s} = 7$ and 8TeV”. *JHEP* 11 (2015), p. 103. arXiv: [1509.02372 \[hep-ex\]](#).
- [105] Roel Aaij et al. (LHCb Collaboration). “Identification of beauty and charm quark jets at LHCb”. *JINST* 10.06 (2015), P06013. arXiv: [1504.07670 \[hep-ex\]](#).

- [106] Roel Aaij et al. (LHCb Collaboration). “LHCb Detector Performance”. *Int. J. Mod. Phys.* A30.07 (2015), p. 1530022. arXiv: [1412.6352 \[hep-ex\]](#).
- [107] Roel Aaij et al. (LHCb Collaboration). “Measurement of B_c^+ production in proton-proton collisions at $\sqrt{s} = 8$ TeV”. *Phys. Rev. Lett.* 114 (2015), p. 132001. arXiv: [1411.2943 \[hep-ex\]](#).
- [108] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP asymmetries and polarisation fractions in $B_s^0 \rightarrow K^{*0}\bar{K}^{*0}$ decays”. *JHEP* 07 (2015), p. 166. arXiv: [1503.05362 \[hep-ex\]](#).
- [109] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP violation in $B^0 \rightarrow J/\psi K_S^0$ decays”. *Phys. Rev. Lett.* 115.3 (2015), p. 031601. arXiv: [1503.07089 \[hep-ex\]](#).
- [110] Roel Aaij et al. (LHCb Collaboration). “Measurement of CP violation parameters and polarisation fractions in $B_s^0 \rightarrow J/\psi\bar{K}^{*0}$ decays”. *JHEP* 11 (2015), p. 082. arXiv: [1509.00400 \[hep-ex\]](#).
- [111] Roel Aaij et al. (LHCb Collaboration). “Measurement of forward J/ψ production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV”. *JHEP* 10 (2015). [Erratum: *JHEP* 05,063(2017)], p. 172. arXiv: [1509.00771 \[hep-ex\]](#).
- [112] Roel Aaij et al. (LHCb Collaboration). “Measurement of forward $Z \rightarrow e^+e^-$ production at $\sqrt{s} = 8$ TeV”. *JHEP* 05 (2015), p. 109. arXiv: [1503.00963 \[hep-ex\]](#).
- [113] Roel Aaij et al. (LHCb Collaboration). “Measurement of indirect CP asymmetries in $D^0 \rightarrow K^-K^+$ and $D^0 \rightarrow \pi^-\pi^+$ decays using semileptonic B decays”. *JHEP* 04 (2015), p. 043. arXiv: [1501.06777 \[hep-ex\]](#).
- [114] Roel Aaij et al. (LHCb Collaboration). “Measurement of the branching fraction ratio $\mathcal{B}(B_c^+ \rightarrow \psi(2S)\pi^+)/\mathcal{B}(B_c^+ \rightarrow J/\psi\pi^+)$ ”. *Phys. Rev.* D92.7 (2015), p. 072007. arXiv: [1507.03516 \[hep-ex\]](#).
- [115] Roel Aaij et al. (LHCb Collaboration). “Measurement of the $B_s^0 \rightarrow \phi\phi$ branching fraction and search for the decay $B^0 \rightarrow \phi\phi$ ”. *JHEP* 10 (2015), p. 053. arXiv: [1508.00788 \[hep-ex\]](#).
- [116] Roel Aaij et al. (LHCb Collaboration). “Measurement of the $\eta_c(1S)$ production cross-section in proton-proton collisions via the decay $\eta_c(1S) \rightarrow pp$ ”. *Eur. Phys. J.* C75.7 (2015), p. 311. arXiv: [1409.3612 \[hep-ex\]](#).
- [117] Roel Aaij et al. (LHCb Collaboration). “Measurement of the CP-violating phase β in $B^0 \rightarrow J/\psi\pi^+\pi^-$ decays and limits on penguin effects”. *Phys. Lett.* B742 (2015), pp. 38–49. arXiv: [1411.1634 \[hep-ex\]](#).
- [118] Roel Aaij et al. (LHCb Collaboration). “Measurement of the exclusive Υ production cross-section in pp collisions at $\sqrt{s} = 7$ TeV and 8 TeV”. *JHEP* 09 (2015), p. 084. arXiv: [1505.08139 \[hep-ex\]](#).
- [119] Roel Aaij et al. (LHCb Collaboration). “Measurement of the forward Z boson production cross-section in pp collisions at $\sqrt{s} = 7$ TeV”. *JHEP* 08 (2015), p. 039. arXiv: [1505.07024 \[hep-ex\]](#).
- [120] Roel Aaij et al. (LHCb Collaboration). “Measurement of the forward-backward asymmetry in $Z/\gamma^* \rightarrow \mu^+\mu^-$ decays and determination of the effective weak mixing angle”. *JHEP* 11 (2015), p. 190. arXiv: [1509.07645 \[hep-ex\]](#).
- [121] Roel Aaij et al. (LHCb Collaboration). “Measurement of the inelastic pp cross-section at a centre-of-mass energy of $\sqrt{s} = 7$ TeV”. *JHEP* 02 (2015), p. 129. arXiv: [1412.2500 \[hep-ex\]](#).
- [122] Roel Aaij et al. (LHCb Collaboration). “Measurement of the lifetime of the B_c^+ meson using the $B_c^+ \rightarrow J/\psi\pi^+$ decay mode”. *Phys. Lett.* B742 (2015), pp. 29–37. arXiv: [1411.6899 \[hep-ex\]](#).
- [123] Roel Aaij et al. (LHCb Collaboration). “Measurement of the ratio of branching fractions $\mathcal{B}(\bar{B}^0 \rightarrow D^{*+}\tau^-\bar{\nu}_\tau)/\mathcal{B}(\bar{B}^0 \rightarrow D^{*+}\mu^-\bar{\nu}_\mu)$ ”. *Phys. Rev. Lett.* 115.11 (2015). [Erratum: *Phys. Rev. Lett.* 115,no.15,159901(2015)], p. 111803. arXiv: [1506.08614 \[hep-ex\]](#).
- [124] Roel Aaij et al. (LHCb Collaboration). “Measurement of the semileptonic CP asymmetry in $B^0 - \bar{B}^0$ mixing”. *Phys. Rev. Lett.* 114 (2015), p. 041601. arXiv: [1409.8586 \[hep-ex\]](#).
- [125] Roel Aaij et al. (LHCb Collaboration). “Measurement of the time-dependent CP asymmetries in $B_s^0 \rightarrow J/\psi K_S^0$ ”. *JHEP* 06 (2015), p. 131. arXiv: [1503.07055 \[hep-ex\]](#).
- [126] Roel Aaij et al. (LHCb Collaboration). “Measurement of the time-integrated CP asymmetry in $D^0 \rightarrow K_S^0 K_S^0$ decays”. *JHEP* 10 (2015), p. 055. arXiv: [1508.06087 \[hep-ex\]](#).

- [127] Roel Aaij et al. (LHCb Collaboration). “Measurement of the track reconstruction efficiency at LHCb”. *JINST* 10.02 (2015), P02007. arXiv: [1408.1251 \[hep-ex\]](#).
- [128] Roel Aaij et al. (LHCb Collaboration). “Measurement of the Z+b-jet cross-section in pp collisions at $\sqrt{s} = 7$ TeV in the forward region”. *JHEP* 01 (2015), p. 064. arXiv: [1411.1264 \[hep-ex\]](#).
- [129] Roel Aaij et al. (LHCb Collaboration). “Model-independent confirmation of the $Z(4430)^-$ state”. *Phys. Rev.* D92.11 (2015). [*Phys. Rev.* D92,112009(2015)], p. 112009. arXiv: [1510.01951 \[hep-ex\]](#).
- [130] Roel Aaij et al. (LHCb Collaboration). “Observation of $J/\psi p$ Resonances Consistent with Pentaquark States in $\Lambda_b^0 \rightarrow J/\psi K^- p$ Decays”. *Phys. Rev. Lett.* 115 (2015), p. 072001. arXiv: [1507.03414 \[hep-ex\]](#).
- [131] Roel Aaij et al. (LHCb Collaboration). “Observation of the $B^0 \rightarrow \rho^0 \rho^0$ decay from an amplitude analysis of $B^0 \rightarrow (\pi^+ \pi^-)(\pi^+ \pi^-)$ decays”. *Phys. Lett.* B747 (2015), pp. 468–478. arXiv: [1503.07770 \[hep-ex\]](#).
- [132] Roel Aaij et al. (LHCb Collaboration). “Observation of the $B_s^0 \rightarrow \eta' \eta'$ decay”. *Phys. Rev. Lett.* 115.5 (2015), p. 051801. arXiv: [1503.07483 \[hep-ex\]](#).
- [133] Roel Aaij et al. (LHCb Collaboration). “Observation of the decay $\bar{B}_s^0 \rightarrow \psi(2S)K^+\pi^-$ ”. *Phys. Lett.* B747 (2015), pp. 484–494. arXiv: [1503.07112 \[hep-ex\]](#).
- [134] Roel Aaij et al. (LHCb Collaboration). “Observation of two new Ξ_b^- baryon resonances”. *Phys. Rev. Lett.* 114 (2015), p. 062004. arXiv: [1411.4849 \[hep-ex\]](#).
- [135] Roel Aaij et al. (LHCb Collaboration). “Precise measurements of the properties of the $B_1(5721)^{0,+}$ and $B_2^*(5747)^{0,+}$ states and observation of $B^{+,0}\pi^{-,+}$ mass structures”. *JHEP* 04 (2015), p. 024. arXiv: [1502.02638 \[hep-ex\]](#).
- [136] Roel Aaij et al. (LHCb Collaboration). “Precision measurement of CP violation in $B_s^0 \rightarrow J/\psi K^+ K^-$ decays”. *Phys. Rev. Lett.* 114.4 (2015), p. 041801. arXiv: [1411.3104 \[hep-ex\]](#).
- [137] Roel Aaij et al. (LHCb Collaboration). “Quantum numbers of the $X(3872)$ state and orbital angular momentum in its $\rho^0 J/\psi$ decay”. *Phys. Rev.* D92.1 (2015), p. 011102. arXiv: [1504.06339 \[hep-ex\]](#).
- [138] Roel Aaij et al. (LHCb Collaboration). “Search for CP violation in $D^0 \rightarrow \pi^-\pi^+\pi^0$ decays with the energy test”. *Phys. Lett.* B740 (2015), pp. 158–167. arXiv: [1410.4170 \[hep-ex\]](#).
- [139] Roel Aaij et al. (LHCb Collaboration). “Search for hidden-sector bosons in $B^0 \rightarrow K^{*0}\mu^+\mu^-$ decays”. *Phys. Rev. Lett.* 115.16 (2015), p. 161802. arXiv: [1508.04094 \[hep-ex\]](#).
- [140] Roel Aaij et al. (LHCb Collaboration). “Search for long-lived heavy charged particles using a ring imaging Cherenkov technique at LHCb”. *Eur. Phys. J.* C75.12 (2015), p. 595. arXiv: [1506.09173 \[hep-ex\]](#).
- [141] Roel Aaij et al. (LHCb Collaboration). “Search for long-lived particles decaying to jet pairs”. *Eur. Phys. J.* C75.4 (2015), p. 152. arXiv: [1412.3021 \[hep-ex\]](#).
- [142] Roel Aaij et al. (LHCb Collaboration). “Search for the $\Lambda_b^0 \rightarrow \Lambda\eta'$ and $\Lambda_b^0 \rightarrow \Lambda\eta$ decays with the LHCb detector”. *JHEP* 09 (2015), p. 006. arXiv: [1505.03295 \[hep-ex\]](#).
- [143] Roel Aaij et al. (LHCb Collaboration). “Search for the decay $B_s^0 \rightarrow \bar{D}^0 f_0(980)$ ”. *JHEP* 08 (2015), p. 005. arXiv: [1505.01654 \[hep-ex\]](#).
- [144] Roel Aaij et al. (LHCb Collaboration). “Search for the lepton flavour violating decay $\tau^- \rightarrow \mu^-\mu^+\mu^-$ ”. *JHEP* 02 (2015), p. 121. arXiv: [1409.8548 \[hep-ex\]](#).
- [145] Roel Aaij et al. (LHCb Collaboration). “Search for the rare decays $B^0 \rightarrow J/\psi\gamma$ and $B_s^0 \rightarrow J/\psi\gamma$ ”. *Phys. Rev.* D92.11 (2015), p. 112002. arXiv: [1510.04866 \[hep-ex\]](#).
- [146] Roel Aaij et al. (LHCb Collaboration). “Study of $B^- \rightarrow DK^-\pi^+\pi^-$ and $B^- \rightarrow D\pi^-\pi^+\pi^-$ decays and determination of the CKM angle γ ”. *Phys. Rev.* D92.11 (2015), p. 112005. arXiv: [1505.07044 \[hep-ex\]](#).
- [147] Roel Aaij et al. (LHCb Collaboration). “Study of $\eta - \eta'$ mixing from measurement of $B_{(s)}^0 \rightarrow J/\psi\eta^{(\prime)}$ decay rates”. *JHEP* 01 (2015), p. 024. arXiv: [1411.0943 \[hep-ex\]](#).

- [148] Roel Aaij et al. (LHCb Collaboration). “Study of the rare B_s^0 and B^0 decays into the $\pi^+\pi^-\mu^+\mu^-$ final state”. *Phys. Lett.* B743 (2015), pp. 46–55. arXiv: [1412.6433 \[hep-ex\]](#).
- [149] Roel Aaij et al. (LHCb Collaboration). “Study of W boson production in association with beauty and charm”. *Phys. Rev.* D92.5 (2015), p. 052001. arXiv: [1505.04051 \[hep-ex\]](#).
- [150] Vardan Khachatryan et al. (LHCb, CMS Collaboration). “Observation of the rare $B_s^0 \rightarrow \mu^+\mu^-$ decay from the combined analysis of CMS and LHCb data”. *Nature* 522 (2015), pp. 68–72. arXiv: [1411.4413 \[hep-ex\]](#).