

# LHCb group publications (July 2017- December 2019)

- [1] **LHCb** Collaboration, R. Aaij et al., “Measurement of the  $B_c^-$  meson production fraction and asymmetry in 7 and 13 TeV  $pp$  collisions”, *Phys. Rev.* **D100** (2019), no. 11, 112006, arXiv:1910.13404. doi:10.1103/PhysRevD.100.112006.
- [2] **LHCb** Collaboration, R. Aaij et al., “Search for the lepton-flavour violating decays  $B^+ \rightarrow K^+ \mu^\pm e^\mp$ ”, *Phys. Rev. Lett.* **123** (2019), no. 24, 241802, arXiv:1909.01010. doi:10.1103/PhysRevLett.123.241802.
- [3] **LHCb** Collaboration, R. Aaij et al., “Observation of New Resonances in the  $\Lambda_b^0 \pi^+ \pi^-$  System”, *Phys. Rev. Lett.* **123** (2019), no. 15, 152001, arXiv:1907.13598. doi:10.1103/PhysRevLett.123.152001.
- [4] **LHCb** Collaboration, R. Aaij et al., “Measurement of CP violation in the  $B_s^0 \rightarrow \phi\phi$  decay and search for the  $B^0 \rightarrow \phi\phi$  decay”, *JHEP* **12** (2019) 155, arXiv:1907.10003. doi:10.1007/JHEP12(2019)155.
- [5] **LHCb** Collaboration, R. Aaij et al., “Observation of the  $\Lambda_b^0 \rightarrow \chi_{c1}(3872)pK^-$  decay”, *JHEP* **09** (2019) 028, arXiv:1907.00954. doi:10.1007/JHEP09(2019)028.
- [6] **LHCb** Collaboration, R. Aaij et al., “Measurement of CP observables in the process  $B^0 \rightarrow D\bar{K}^*$  with two- and four-body D decays”, *JHEP* **08** (2019) 041, arXiv:1906.08297. doi:10.1007/JHEP08(2019)041.
- [7] **LHCb** Collaboration, R. Aaij et al., “Updated measurement of time-dependent CP-violating observables in  $B_s^0 \rightarrow J/\psi K^+ K^-$  decays”, *Eur. Phys. J.* **C79** (2019), no. 8, 706, arXiv:1906.08356. doi:10.1140/epjc/s10052-019-7159-8.
- [8] **LHCb** Collaboration, R. Aaij et al., “Precision measurement of the  $\Lambda_c^+$ ,  $\Xi_c^+$  and  $\Xi_c^0$  baryon lifetimes”, *Phys. Rev.* **D100** (2019), no. 3, 032001, arXiv:1906.08350. doi:10.1103/PhysRevD.100.032001.
- [9] **LHCb** Collaboration, R. Aaij et al., “Amplitude analysis of  $B^\pm \rightarrow \pi^\pm K^+ K^-$  decays”, *Phys. Rev. Lett.* **123** (2019), no. 23, 231802, arXiv:1905.09244. doi:10.1103/PhysRevLett.123.231802.
- [10] **LHCb** Collaboration, R. Aaij et al., “Amplitude analysis of the  $B_{(s)}^0 \rightarrow K^{*0} \bar{K}^{*0}$  decays and measurement of the branching fraction of the  $B^0 \rightarrow K^{*0} \bar{K}^{*0}$  decay”, *JHEP* **07** (2019) 032, arXiv:1905.06662. doi:10.1007/JHEP07(2019)032.
- [11] **LHCb** Collaboration, R. Aaij et al., “Search for the lepton-flavour-violating decays  $B_s^0 \rightarrow \tau^\pm \mu^\mp$  and  $B^0 \rightarrow \tau^\pm \mu^\mp$ ”, *Phys. Rev. Lett.* **123** (2019), no. 21, 211801, arXiv:1905.06614. doi:10.1103/PhysRevLett.123.211801.

- [12] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$ -violating and mixing-induced observables in  $B_s^0 \rightarrow \phi\gamma$  decays”, *Phys. Rev. Lett.* **123** (2019), no. 8, 081802, arXiv:1905.06284. doi:10.1103/PhysRevLett.123.081802.
- [13] **LHCb** Collaboration, R. Aaij et al., “A search for  $\Xi_{cc}^{++} \rightarrow D^+ p K^- \pi^+$  decays”, *JHEP* **10** (2019) 124, arXiv:1905.02421. doi:10.1007/JHEP10(2019)124.
- [14] **LHCb** Collaboration, R. Aaij et al., “Measurement of charged hadron production in  $Z$ -tagged jets in proton-proton collisions at  $\sqrt{s} = 8$  TeV”, *Phys. Rev. Lett.* **123** (2019), no. 23, 232001, arXiv:1904.08878. doi:10.1103/PhysRevLett.123.232001.
- [15] **LHCb** Collaboration, R. Aaij et al., “First Observation of the Radiative Decay  $\Lambda_b^0 \rightarrow \Lambda\gamma$ ”, *Phys. Rev. Lett.* **123** (2019), no. 3, 031801, arXiv:1904.06697. doi:10.1103/PhysRevLett.123.031801.
- [16] **LHCb** Collaboration, R. Aaij et al., “Observation of a narrow pentaquark state,  $P_c(4312)^+$ , and of two-peak structure of the  $P_c(4450)^+$ ”, *Phys. Rev. Lett.* **122** (2019), no. 22, 222001, arXiv:1904.03947. doi:10.1103/PhysRevLett.122.222001.
- [17] **LHCb** Collaboration, R. Aaij et al., “Observation of an excited  $B_c^+$  state”, *Phys. Rev. Lett.* **122** (2019), no. 23, 232001, arXiv:1904.00081. doi:10.1103/PhysRevLett.122.232001.
- [18] **LHCb** Collaboration, R. Aaij et al., “Near-threshold  $D\bar{D}$  spectroscopy and observation of a new charmonium state”, *JHEP* **07** (2019) 035, arXiv:1903.12240. doi:10.1007/JHEP07(2019)035.
- [19] **LHCb** Collaboration, R. Aaij et al., “Search for lepton-universality violation in  $B^+ \rightarrow K^+\ell^+\ell^-$  decays”, *Phys. Rev. Lett.* **122** (2019), no. 19, 191801, arXiv:1903.09252. doi:10.1103/PhysRevLett.122.191801.
- [20] **LHCb** Collaboration, R. Aaij et al., “Observation of CP Violation in Charm Decays”, *Phys. Rev. Lett.* **122** (2019), no. 21, 211803, arXiv:1903.08726. doi:10.1103/PhysRevLett.122.211803.
- [21] **LHCb** Collaboration, R. Aaij et al., “Measurements of  $CP$  asymmetries in charmless four-body  $\Lambda_b^0$  and  $\Xi_b^0$  decays”, *Eur. Phys. J.* **C79** (2019), no. 9, 745, arXiv:1903.06792. doi:10.1140/epjc/s10052-019-7218-1, 10.1140/S10052-019-7218-1.
- [22] **LHCb** Collaboration, R. Aaij et al., “Measurement of the  $CP$ -violating phase  $\phi_s$  from  $B_s^0 \rightarrow J/\psi\pi^+\pi^-$  decays in 13 TeV  $pp$  collisions”, *Phys. Lett.* **B797** (2019) 134789, arXiv:1903.05530. doi:10.1016/j.physletb.2019.07.036.
- [23] **LHCb** Collaboration, R. Aaij et al., “Measurement of the mass difference between neutral charm-meson eigenstates”, *Phys. Rev. Lett.* **122** (2019), no. 23, 231802, arXiv:1903.03074. doi:10.1103/PhysRevLett.122.231802.

- [24] **LHCb** Collaboration, R. Aaij et al., “Search for  $CP$  violation in  $D_s^+ \rightarrow K_S^0 \pi^+$ ,  $D^+ \rightarrow K_S^0 K^+$  and  $D^+ \rightarrow \phi \pi^+$  decays”, *Phys. Rev. Lett.* **122** (2019), no. 19, 191803, arXiv:1903.01150. doi:10.1103/PhysRevLett.122.191803.
- [25] **LHCb** Collaboration, R. Aaij et al., “Amplitude analysis of  $B_s^0 \rightarrow K_S^0 K^\pm \pi^\mp$  decays”, *JHEP* **06** (2019) 114, arXiv:1902.07955. doi:10.1007/JHEP06(2019)114.
- [26] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $b$  hadron fractions in 13 TeV  $pp$  collisions”, *Phys. Rev.* **D100** (2019), no. 3, 031102, arXiv:1902.06794. doi:10.1103/PhysRevD.100.031102.
- [27] **LHCb** Collaboration, R. Aaij et al., “Observation of  $B_{(s)}^0 \rightarrow J/\psi p\bar{p}$  decays and precision measurements of the  $B_{(s)}^0$  masses”, *Phys. Rev. Lett.* **122** (2019), no. 19, 191804, arXiv:1902.05588. doi:10.1103/PhysRevLett.122.191804.
- [28] **LHCb** Collaboration, R. Aaij et al., “Dalitz plot analysis of the  $D^+ \rightarrow K^- K^+ K^+$  decay”, *JHEP* **04** (2019) 063, arXiv:1902.05884. doi:10.1007/JHEP04(2019)063.
- [29] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $B^+$ ,  $B^0$  and  $\Lambda_b^0$  production in  $p\text{Pb}$  collisions at  $\sqrt{s_{\text{NN}}} = 8.16 \text{ TeV}$ ”, *Phys. Rev.* **D99** (2019), no. 5, 052011, arXiv:1902.05599. doi:10.1103/PhysRevD.99.052011.
- [30] **LHCb** Collaboration, R. Aaij et al., “Measurement of the ratio of branching fractions of the decays  $\Lambda_b^0 \rightarrow \psi(2S)\Lambda$  and  $\Lambda_b^0 \rightarrow J/\psi\Lambda$ ”, *JHEP* **03** (2019) 126, arXiv:1902.02092. doi:10.1007/JHEP03(2019)126.
- [31] **LHCb** Collaboration, R. Aaij et al., “Measurement of the mass and production rate of  $\Xi_b^-$  baryons”, *Phys. Rev.* **D99** (2019), no. 5, 052006, arXiv:1901.07075. doi:10.1103/PhysRevD.99.052006.
- [32] **LHCb** Collaboration, R. Aaij et al., “Observation of the doubly Cabibbo-suppressed decay  $\Xi_c^+ \rightarrow p\phi$ ”, *JHEP* **04** (2019) 084, arXiv:1901.06222. doi:10.1007/JHEP04(2019)084.
- [33] **LHCb** Collaboration, R. Aaij et al., “Model-Independent Observation of Exotic Contributions to  $B^0 \rightarrow J/\psi K^+ \pi^-$  Decays”, *Phys. Rev. Lett.* **122** (2019), no. 15, 152002, arXiv:1901.05745. doi:10.1103/PhysRevLett.122.152002.
- [34] **LHCb** Collaboration, R. Aaij et al., “Study of the  $B^0 \rightarrow \rho(770)^0 K^*(892)^0$  decay with an amplitude analysis of  $B^0 \rightarrow (\pi^+ \pi^-)(K^+ \pi^-)$  decays”, *JHEP* **05** (2019) 026, arXiv:1812.07008. doi:10.1007/JHEP05(2019)026.
- [35] **LHCb** Collaboration, R. Aaij et al., “Measurement of the branching fraction and  $CP$  asymmetry in  $B^+ \rightarrow J/\psi \rho^+$  decays”, *Eur. Phys. J.* **C79** (2019), no. 6, 537, arXiv:1812.07041. doi:10.1140/epjc/s10052-019-6698-3.
- [36] **LHCb** Collaboration, R. Aaij et al., “Search for the rare decay  $B^+ \rightarrow \mu^+ \mu^- \mu^+ \nu_\mu$ ”, *Eur. Phys. J.* **C79** (2019), no. 8, 675, arXiv:1812.06004. doi:10.1140/epjc/s10052-019-7112-x.

- [37] **LHCb** Collaboration, R. Aaij et al., “Search for  $CP$  violation through an amplitude analysis of  $D^0 \rightarrow K^+K^-\pi^+\pi^-$  decays”, *JHEP* **02** (2019) 126, [arXiv:1811.08304](#). doi:[10.1007/JHEP02\(2019\)126](#).
- [38] **LHCb** Collaboration, R. Aaij et al., “First Measurement of Charm Production in its Fixed-Target Configuration at the LHC”, *Phys. Rev. Lett.* **122** (2019), no. 13, 132002, [arXiv:1810.07907](#). doi:[10.1103/PhysRevLett.123.239901](#), [10.1103/PhysRevLett.122.132002](#).
- [39] **LHCb** Collaboration, R. Aaij et al., “Study of  $\Upsilon$  production in  $p\text{Pb}$  collisions at  $\sqrt{s_{NN}} = 8.16$  TeV”, *JHEP* **11** (2018) 194, [arXiv:1810.07655](#). doi:[10.1007/JHEP11\(2018\)194](#).
- [40] **LHCb** Collaboration, R. Aaij et al., “Measurement of the Charm-Mixing Parameter  $y_{CP}$ ”, *Phys. Rev. Lett.* **122** (2019), no. 1, 011802, [arXiv:1810.06874](#). doi:[10.1103/PhysRevLett.122.011802](#).
- [41] **LHCb** Collaboration, R. Aaij et al., “Measurement of the branching fractions of the decays  $D^+ \rightarrow K^-K^+K^+$ ,  $D^+ \rightarrow \pi^-\pi^+K^+$  and  $D_s^+ \rightarrow \pi^-K^+K^+$ ”, *JHEP* **03** (2019) 176, [arXiv:1810.03138](#). doi:[10.1007/JHEP03\(2019\)176](#).
- [42] **LHCb** Collaboration, R. Aaij et al., “Evidence for an  $\eta_c(1S)\pi^-$  resonance in  $B^0 \rightarrow \eta_c(1S)K^+\pi^-$  decays”, *Eur. Phys. J.* **C78** (2018), no. 12, 1019, [arXiv:1809.07416](#). doi:[10.1140/epjc/s10052-018-6447-z](#).
- [43] **LHCb** Collaboration, R. Aaij et al., “Observation of Two Resonances in the  $\Lambda_b^0\pi^\pm$  Systems and Precise Measurement of  $\Sigma_b^\pm$  and  $\Sigma_b^{*\pm}$  properties”, *Phys. Rev. Lett.* **122** (2019), no. 1, 012001, [arXiv:1809.07752](#). doi:[10.1103/PhysRevLett.122.012001](#).
- [44] **LHCb** Collaboration, R. Aaij et al., “Prompt  $\Lambda_c^+$  production in  $p\text{Pb}$  collisions at  $\sqrt{s_{NN}} = 5.02$  TeV”, *JHEP* **02** (2019) 102, [arXiv:1809.01404](#). doi:[10.1007/JHEP02\(2019\)102](#).
- [45] **LHCb** Collaboration, R. Aaij et al., “Search for lepton-flavour-violating decays of Higgs-like bosons”, *Eur. Phys. J.* **C78** (2018), no. 12, 1008, [arXiv:1808.07135](#). doi:[10.1140/epjc/s10052-018-6386-8](#).
- [46] **LHCb** Collaboration, R. Aaij et al., “Measurement of Antiproton Production in pHe Collisions at  $\sqrt{s_{NN}} = 110$  GeV”, *Phys. Rev. Lett.* **121** (2018), no. 22, 222001, [arXiv:1808.06127](#). doi:[10.1103/PhysRevLett.121.222001](#).
- [47] **LHCb** Collaboration, R. Aaij et al., “Angular moments of the decay  $\Lambda_b^0 \rightarrow \Lambda\mu^+\mu^-$  at low hadronic recoil”, *JHEP* **09** (2018) 146, [arXiv:1808.00264](#). doi:[10.1007/JHEP09\(2018\)146](#).
- [48] **LHCb** Collaboration, R. Aaij et al., “Measurement of the relative  $B^- \rightarrow D^0/D^{*0}/D^{*+}\mu^-\bar{\nu}_\mu$  branching fractions using  $B^-$  mesons from  $\bar{B}_{s2}^{*0}$  decays”, *Phys. Rev.* **D99** (2019), no. 9, 092009, [arXiv:1807.10722](#). doi:[10.1103/PhysRevD.99.092009](#).

- [49] **LHCb** Collaboration, R. Aaij et al., “Search for  $CP$  violation in  $\Lambda_b^0 \rightarrow pK^-$  and  $\Lambda_b^0 \rightarrow p\pi^-$  decays”, *Phys. Lett.* **B787** (2018) 124–133, [arXiv:1807.06544](#).  
doi:[10.1016/j.physletb.2018.10.039](https://doi.org/10.1016/j.physletb.2018.10.039).
- [50] **LHCb** Collaboration, R. Aaij et al., “Observation of  $B_s^0 \rightarrow \overline{D}^{*0}\phi$  and search for  $B^0 \rightarrow \overline{D}^0\phi$  decays”, *Phys. Rev.* **D98** (2018), no. 7, 071103, [arXiv:1807.01892](#).  
doi:[10.1103/PhysRevD.98.071103](https://doi.org/10.1103/PhysRevD.98.071103).
- [51] **LHCb** Collaboration, R. Aaij et al., “Observation of the decay  $B_s^0 \rightarrow \overline{D}^0 K^+ K^-$ ”, *Phys. Rev.* **D98** (2018), no. 7, 072006, [arXiv:1807.01891](#).  
doi:[10.1103/PhysRevD.98.072006](https://doi.org/10.1103/PhysRevD.98.072006).
- [52] **LHCb** Collaboration, R. Aaij et al., “Measurement of the  $\Omega_c^0$  baryon lifetime”, *Phys. Rev. Lett.* **121** (2018), no. 9, 092003, [arXiv:1807.02024](#).  
doi:[10.1103/PhysRevLett.121.092003](https://doi.org/10.1103/PhysRevLett.121.092003).
- [53] **LHCb** Collaboration, R. Aaij et al., “First Observation of the Doubly Charmed Baryon Decay  $\Xi_{cc}^{++} \rightarrow \Xi_c^+ \pi^+$ ”, *Phys. Rev. Lett.* **121** (2018), no. 16, 162002, [arXiv:1807.01919](#). doi:[10.1103/PhysRevLett.121.162002](https://doi.org/10.1103/PhysRevLett.121.162002).
- [54] **LHCb** Collaboration, R. Aaij et al., “Measurement of Angular and  $CP$  Asymmetries in  $D^0 \rightarrow \pi^+ \pi^- \mu^+ \mu^-$  and  $D^0 \rightarrow K^+ K^- \mu^+ \mu^-$  decays”, *Phys. Rev. Lett.* **121** (2018), no. 9, 091801, [arXiv:1806.10793](#).  
doi:[10.1103/PhysRevLett.121.091801](https://doi.org/10.1103/PhysRevLett.121.091801).
- [55] **LHCb** Collaboration, R. Aaij et al., “Observation of the decay  $\overline{B}_s^0 \rightarrow \chi_{c2} K^+ K^-$  in the ? mass region”, *JHEP* **08** (2018) 191, [arXiv:1806.10576](#).  
doi:[10.1007/JHEP08\(2018\)191](https://doi.org/10.1007/JHEP08(2018)191).
- [56] **LHCb** Collaboration, R. Aaij et al., “Search for beautiful tetraquarks in the  $\Upsilon(1S)\mu^+\mu^-$  invariant-mass spectrum”, *JHEP* **10** (2018) 086, [arXiv:1806.09707](#).  
doi:[10.1007/JHEP10\(2018\)086](https://doi.org/10.1007/JHEP10(2018)086).
- [57] **LHCb** Collaboration, R. Aaij et al., “Observation of the decay  $\Lambda_b^0 \rightarrow \psi(2S)p\pi^-$ ”, *JHEP* **08** (2018) 131, [arXiv:1806.08084](#). doi:[10.1007/JHEP08\(2018\)131](https://doi.org/10.1007/JHEP08(2018)131).
- [58] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $Z \rightarrow \tau^+\tau^-$  production in proton-proton collisions at  $\sqrt{s} = 8$  TeV”, *JHEP* **09** (2018) 159, [arXiv:1806.05008](#). doi:[10.1007/JHEP09\(2018\)159](https://doi.org/10.1007/JHEP09(2018)159).
- [59] **LHCb** Collaboration, R. Aaij et al., “Central exclusive production of  $J/\psi$  and  $\psi(2S)$  mesons in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, *JHEP* **10** (2018) 167, [arXiv:1806.04079](#). doi:[10.1007/JHEP10\(2018\)167](https://doi.org/10.1007/JHEP10(2018)167).
- [60] **LHCb** Collaboration, R. Aaij et al., “Measurement of the Lifetime of the Doubly Charmed Baryon  $\Xi_{cc}^{++}$ ”, *Phys. Rev. Lett.* **121** (2018), no. 5, 052002, [arXiv:1806.02744](#). doi:[10.1103/PhysRevLett.121.052002](https://doi.org/10.1103/PhysRevLett.121.052002).

- [61] **LHCb** Collaboration, R. Aaij et al., “Measurement of the time-integrated  $CP$  asymmetry in  $D^0 \rightarrow K_S^0 K_S^0$  decays”, *JHEP* **11** (2018) 048, [arXiv:1806.01642](https://arxiv.org/abs/1806.01642). doi:[10.1007/JHEP11\(2018\)048](https://doi.org/10.1007/JHEP11(2018)048).
- [62] **LHCb** Collaboration, R. Aaij et al., “Measurement of the CKM angle  $\gamma$  using  $B^\pm \rightarrow DK^\pm$  with  $D \rightarrow K_S^0 \pi^+ \pi^-$ ,  $K_S^0 K^+ K^-$  decays”, *JHEP* **08** (2018) 176, [arXiv:1806.01202](https://arxiv.org/abs/1806.01202). [erratum: JHEP10,107(2018)]. doi:[10.1007/JHEP10\(2018\)107](https://doi.org/10.1007/JHEP10(2018)107), [10.1007/JHEP08\(2018\)176](https://doi.org/10.1007/JHEP08(2018)176).
- [63] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $D_s^\pm$  production asymmetry in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV”, *JHEP* **08** (2018) 008, [arXiv:1805.09869](https://arxiv.org/abs/1805.09869). doi:[10.1007/JHEP08\(2018\)008](https://doi.org/10.1007/JHEP08(2018)008).
- [64] **LHCb** Collaboration, R. Aaij et al., “Observation of a new  $\Xi_b^-$  resonance”, *Phys. Rev. Lett.* **121** (2018), no. 7, 072002, [arXiv:1805.09418](https://arxiv.org/abs/1805.09418). doi:[10.1103/PhysRevLett.121.072002](https://doi.org/10.1103/PhysRevLett.121.072002).
- [65] **LHCb** Collaboration, R. Aaij et al., “Search for a dimuon resonance in the  $\Upsilon$  mass region”, *JHEP* **09** (2018) 147, [arXiv:1805.09820](https://arxiv.org/abs/1805.09820). doi:[10.1007/JHEP09\(2018\)147](https://doi.org/10.1007/JHEP09(2018)147).
- [66] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  asymmetries in two-body  $B_{(s)}^0$ -meson decays to charged pions and kaons”, *Phys. Rev.* **D98** (2018), no. 3, 032004, [arXiv:1805.06759](https://arxiv.org/abs/1805.06759). doi:[10.1103/PhysRevD.98.032004](https://doi.org/10.1103/PhysRevD.98.032004).
- [67] **LHCb** Collaboration, R. Aaij et al., “Search for CP violation using triple product asymmetries in  $\Lambda_b^0 \rightarrow p K^- \pi^+ \pi^-$ ,  $\Lambda_b^0 \rightarrow p K^- K^+ K^-$  and  $\Xi_b^0 \rightarrow p K^- K^- \pi^+$  decays”, *JHEP* **08** (2018) 039, [arXiv:1805.03941](https://arxiv.org/abs/1805.03941). doi:[10.1007/JHEP08\(2018\)039](https://doi.org/10.1007/JHEP08(2018)039).
- [68] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  violation in  $B^0 \rightarrow D^\mp \pi^\pm$  decays”, *JHEP* **06** (2018) 084, [arXiv:1805.03448](https://arxiv.org/abs/1805.03448). doi:[10.1007/JHEP06\(2018\)084](https://doi.org/10.1007/JHEP06(2018)084).
- [69] **LHCb** Collaboration, R. Aaij et al., “Observation of the decay  $\Lambda_b^0 \rightarrow \Lambda_c^+ p \bar{p} \pi^-$ ”, *Phys. Lett.* **B784** (2018) 101–111, [arXiv:1804.09617](https://arxiv.org/abs/1804.09617). doi:[10.1016/j.physletb.2018.07.033](https://doi.org/10.1016/j.physletb.2018.07.033).
- [70] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $\Upsilon$  production in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, *JHEP* **07** (2018) 134, [arXiv:1804.09214](https://arxiv.org/abs/1804.09214). [Erratum: JHEP05,076(2019)]. doi:[10.1007/JHEP07\(2018\)134](https://doi.org/10.1007/JHEP07(2018)134), [10.1007/JHEP05\(2019\)076](https://doi.org/10.1007/JHEP05(2019)076).
- [71] **LHCb** Collaboration, R. Aaij et al., “Evidence for the decay  $B_S^0 \rightarrow \overline{K}^{*0} \mu^+ \mu^-$ ”, *JHEP* **07** (2018) 020, [arXiv:1804.07167](https://arxiv.org/abs/1804.07167). doi:[10.1007/JHEP07\(2018\)020](https://doi.org/10.1007/JHEP07(2018)020).
- [72] **LHCb** Collaboration, R. Aaij et al., “Measurement of the  $CP$  asymmetry in  $B^- \rightarrow D_s^- D^0$  and  $B^- \rightarrow D^- D^0$  decays”, *JHEP* **05** (2018) 160, [arXiv:1803.10990](https://arxiv.org/abs/1803.10990). doi:[10.1007/JHEP05\(2018\)160](https://doi.org/10.1007/JHEP05(2018)160).

- [73] **LHCb** Collaboration, R. Aaij et al., “Measurement of the inelastic  $pp$  cross-section at a centre-of-mass energy of 13 TeV”, *JHEP* **06** (2018) 100, [arXiv:1803.10974](#). doi:[10.1007/JHEP06\(2018\)100](#).
- [74] **LHCb** Collaboration, R. Aaij et al., “Measurement of forward top pair production in the dilepton channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, *JHEP* **08** (2018) 174, [arXiv:1803.05188](#). doi:[10.1007/JHEP08\(2018\)174](#).
- [75] **LHCb** Collaboration, R. Aaij et al., “Amplitude analysis of the decay  $\overline{B}^0 \rightarrow K_S^0 \pi^+ \pi^-$  and first observation of the CP asymmetry in  $\overline{B}^0 \rightarrow K^*(892)^- \pi^+$ ”, *Phys. Rev. Lett.* **120** (2018), no. 26, 261801, [arXiv:1712.09320](#). doi:[10.1103/PhysRevLett.120.261801](#).
- [76] **LHCb** Collaboration, R. Aaij et al., “First measurement of the  $CP$ -violating phase  $\phi_s^{d\bar{d}}$  in  $B_s^0 \rightarrow (K^+ \pi^-)(K^- \pi^+)$  decays”, *JHEP* **03** (2018) 140, [arXiv:1712.08683](#). doi:[10.1007/JHEP03\(2018\)140](#).
- [77] **LHCb** Collaboration, R. Aaij et al., “Studies of the resonance structure in  $D^0 \rightarrow K^\mp \pi^\pm \pi^\pm \pi^\mp$  decays”, *Eur. Phys. J.* **C78** (2018), no. 6, 443, [arXiv:1712.08609](#). doi:[10.1140/epjc/s10052-018-5758-4](#).
- [78] **LHCb** Collaboration, R. Aaij et al., “Evidence for the rare decay  $\Sigma^+ \rightarrow p \mu^+ \mu^-$ ”, *Phys. Rev. Lett.* **120** (2018), no. 22, 221803, [arXiv:1712.08606](#). doi:[10.1103/PhysRevLett.120.221803](#).
- [79] **LHCb** Collaboration, R. Aaij et al., “Search for weakly decaying  $b$ -flavored pentaquarks”, *Phys. Rev.* **D97** (2018), no. 3, 032010, [arXiv:1712.08086](#). doi:[10.1103/PhysRevD.97.032010](#).
- [80] **LHCb** Collaboration, R. Aaij et al., “Search for the rare decay  $\Lambda_c^+ \rightarrow p \mu^+ \mu^-$ ”, *Phys. Rev.* **D97** (2018), no. 9, 091101, [arXiv:1712.07938](#). doi:[10.1103/PhysRevD.97.091101](#).
- [81] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  asymmetry in  $B_s^0 \rightarrow D_s^\mp K^\pm$  decays”, *JHEP* **03** (2018) 059, [arXiv:1712.07428](#). doi:[10.1007/JHEP03\(2018\)059](#).
- [82] **LHCb** Collaboration, R. Aaij et al., “A measurement of the  $CP$  asymmetry difference in  $\Lambda_c^+ \rightarrow p K^- K^+$  and  $p \pi^- \pi^+$  decays”, *JHEP* **03** (2018) 182, [arXiv:1712.07051](#). doi:[10.1007/JHEP03\(2018\)182](#).
- [83] **LHCb** Collaboration, R. Aaij et al., “Search for  $B_c^+$  decays to two charm mesons”, *Nucl. Phys.* **B930** (2018) 563–582, [arXiv:1712.04702](#). doi:[10.1016/j.nuclphysb.2018.03.015](#).
- [84] **LHCb** Collaboration, R. Aaij et al., “Search for excited  $B_c^+$  states”, *JHEP* **01** (2018) 138, [arXiv:1712.04094](#). doi:[10.1007/JHEP01\(2018\)138](#).

- [85] **LHCb** Collaboration, R. Aaij et al., “Updated determination of  $D^0$ - $\bar{D}^0$  mixing and CP violation parameters with  $D^0 \rightarrow K^+\pi^-$  decays”, *Phys. Rev.* **D97** (2018), no. 3, 031101, [arXiv:1712.03220](#). doi:[10.1103/PhysRevD.97.031101](#).
- [86] **LHCb** Collaboration, R. Aaij et al., “First observation of  $B^+ \rightarrow D_s^+ K^+ K^-$  decays and a search for  $B^+ \rightarrow D_s^+ \phi$  decays”, *JHEP* **01** (2018) 131, [arXiv:1711.05637](#). doi:[10.1007/JHEP01\(2018\)131](#).
- [87] **LHCb** Collaboration, R. Aaij et al., “Measurement of the ratio of branching fractions  $\mathcal{B}(B_c^+ \rightarrow J/\psi \tau^+ \nu_\tau)/\mathcal{B}(B_c^+ \rightarrow J/\psi \mu^+ \nu_\mu)$ ”, *Phys. Rev. Lett.* **120** (2018), no. 12, 121801, [arXiv:1711.05623](#). doi:[10.1103/PhysRevLett.120.121801](#).
- [88] **LHCb** Collaboration, R. Aaij et al., “Measurement of branching fractions of charmless four-body  $\Lambda_b^0$  and  $\Xi_b^0$  decays”, *JHEP* **02** (2018) 098, [arXiv:1711.05490](#). doi:[10.1007/JHEP02\(2018\)098](#).
- [89] **LHCb** Collaboration, R. Aaij et al., “Test of Lepton Flavor Universality by the measurement of the  $B^0 \rightarrow D^{*-} \tau^+ \nu_\tau$  branching fraction using three-prong  $\tau$  decays”, *Phys. Rev.* **D97** (2018), no. 7, 072013, [arXiv:1711.02505](#). doi:[10.1103/PhysRevD.97.072013](#).
- [90] **LHCb** Collaboration, R. Aaij et al., “Measurements of the branching fractions of  $\Lambda_c^+ \rightarrow p \pi^- \pi^+$ ,  $\Lambda_c^+ \rightarrow p K^- K^+$ , and  $\Lambda_c^+ \rightarrow p \pi^- K^+$ ”, *JHEP* **03** (2018) 043, [arXiv:1711.01157](#). doi:[10.1007/JHEP03\(2018\)043](#).
- [91] **LHCb** Collaboration, R. Aaij et al., “Measurement of the  $B^\pm$  production cross-section in pp collisions at  $\sqrt{s} = 7$  and 13 TeV”, *JHEP* **12** (2017) 026, [arXiv:1710.04921](#). doi:[10.1007/JHEP12\(2017\)026](#).
- [92] **LHCb** Collaboration, R. Aaij et al., “Search for the lepton-flavour violating decays  $B_{(s)}^0 \rightarrow e^\pm \mu^\mp$ ”, *JHEP* **03** (2018) 078, [arXiv:1710.04111](#). doi:[10.1007/JHEP03\(2018\)078](#).
- [93] **LHCb** Collaboration, R. Aaij et al., “Search for Dark Photons Produced in 13 TeV pp Collisions”, *Phys. Rev. Lett.* **120** (2018), no. 6, 061801, [arXiv:1710.02867](#). doi:[10.1103/PhysRevLett.120.061801](#).
- [94] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  observables in  $B^\pm \rightarrow D K^{*\pm}$  decays using two- and four-body  $D$  final states”, *JHEP* **11** (2017) 156, [arXiv:1709.05855](#). [Erratum: *JHEP* 05, 067(2018)]. doi:[10.1007/JHEP05\(2018\)067](#), [10.1007/JHEP11\(2017\)156](#).
- [95] **LHCb** Collaboration, R. Aaij et al., “ $\chi_{c1}$  and  $\chi_{c2}$  Resonance Parameters with the Decays  $\chi_{c1,c2} \rightarrow J/\psi \mu^+ \mu^-$ ”, *Phys. Rev. Lett.* **119** (2017), no. 22, 221801, [arXiv:1709.04247](#). doi:[10.1103/PhysRevLett.119.221801](#).
- [96] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  violation in  $B^0 \rightarrow J/\psi K_S^0$  and  $B^0 \rightarrow \psi(2S) K_S^0$  decays”, *JHEP* **11** (2017) 170, [arXiv:1709.03944](#). doi:[10.1007/JHEP11\(2017\)170](#).

- [97] **LHCb** Collaboration, R. Aaij et al., “First observation of forward  $Z \rightarrow b\bar{b}$  production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, *Phys. Lett.* **B776** (2018) 430–439, [arXiv:1709.03458](#). doi:[10.1016/j.physletb.2017.11.066](#).
- [98] **LHCb** Collaboration, R. Aaij et al., “Measurement of the shape of the  $\Lambda_b^0 \rightarrow \Lambda_c^+ \mu^- \bar{\nu}_\mu$  differential decay rate”, *Phys. Rev.* **D96** (2017), no. 11, 112005, [arXiv:1709.01920](#). doi:[10.1103/PhysRevD.96.112005](#).
- [99] **LHCb** Collaboration, R. Aaij et al., “Bose-Einstein correlations of same-sign charged pions in the forward region in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, *JHEP* **12** (2017) 025, [arXiv:1709.01769](#). doi:[10.1007/JHEP12\(2017\)025](#).
- [100] **LHCb** Collaboration, R. Aaij et al., “Measurement of the  $\Upsilon$  polarizations in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV”, *JHEP* **12** (2017) 110, [arXiv:1709.01301](#). doi:[10.1007/JHEP12\(2017\)110](#).
- [101] **LHCb** Collaboration, R. Aaij et al., “First Observation of the Rare Purely Baryonic Decay  $B^0 \rightarrow p\bar{p}$ ”, *Phys. Rev. Lett.* **119** (2017), no. 23, 232001, [arXiv:1709.01156](#). doi:[10.1103/PhysRevLett.119.232001](#).
- [102] **LHCb** Collaboration, R. Aaij et al., “Measurement of the ratio of the  $B^0 \rightarrow D^{*-} \tau^+ \nu_\tau$  and  $B^0 \rightarrow D^{*-} \mu^+ \nu_\mu$  branching fractions using three-prong  $\tau$ -lepton decays”, *Phys. Rev. Lett.* **120** (2018), no. 17, 171802, [arXiv:1708.08856](#). doi:[10.1103/PhysRevLett.120.171802](#).
- [103] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  observables in  $B^\pm \rightarrow D^{(*)} K^\pm$  and  $B^\pm \rightarrow D^{(*)} \pi^\pm$  decays”, *Phys. Lett.* **B777** (2018) 16–30, [arXiv:1708.06370](#). doi:[10.1016/j.physletb.2017.11.070](#).
- [104] **LHCb** Collaboration, R. Aaij et al., “Study of  $b\bar{b}$  correlations in high energy proton-proton collisions”, *JHEP* **11** (2017) 030, [arXiv:1708.05994](#). doi:[10.1007/JHEP11\(2017\)030](#).
- [105] **LHCb** Collaboration, R. Aaij et al., “Search for Baryon-Number Violating  $\Xi_b^0$  Oscillations”, *Phys. Rev. Lett.* **119** (2017), no. 18, 181807, [arXiv:1708.05808](#). doi:[10.1103/PhysRevLett.119.181807](#).
- [106] **LHCb** Collaboration, R. Aaij et al., “Observation of  $D^0$  meson decays to  $\pi^+ \pi^- \mu^+ \mu^-$  and  $K^+ K^- \mu^+ \mu^-$  final states”, *Phys. Rev. Lett.* **119** (2017), no. 18, 181805, [arXiv:1707.08377](#). doi:[10.1103/PhysRevLett.119.181805](#).
- [107] **LHCb** Collaboration, R. Aaij et al., “Study of prompt  $D^0$  meson production in  $p\text{Pb}$  collisions at  $\sqrt{s_{\text{NN}}} = 5$  TeV”, *JHEP* **10** (2017) 090, [arXiv:1707.02750](#). doi:[10.1007/JHEP10\(2017\)090](#).
- [108] **LHCb** Collaboration, R. Aaij et al., “Updated branching fraction measurements of  $B_{(s)}^0 \rightarrow K_s^0 h^+ h^-$  decays”, *JHEP* **11** (2017) 027, [arXiv:1707.01665](#). doi:[10.1007/JHEP11\(2017\)027](#).

- [109] **LHCb** Collaboration, R. Aaij et al., “Observation of the doubly charmed baryon  $\Xi_{cc}^{++}$ ”, *Phys. Rev. Lett.* **119** (2017), no. 11, 112001, [arXiv:1707.01621](#).  
doi:[10.1103/PhysRevLett.119.112001](https://doi.org/10.1103/PhysRevLett.119.112001).
- [110] **LHCb** Collaboration, R. Aaij et al., “Prompt and nonprompt  $J/\psi$  production and nuclear modification in  $p\text{Pb}$  collisions at  $\sqrt{s_{\text{NN}}} = 8.16$  TeV”, *Phys. Lett.* **B774** (2017) 159–178, [arXiv:1706.07122](#). doi:[10.1016/j.physletb.2017.09.058](https://doi.org/10.1016/j.physletb.2017.09.058).
- [111] **LHCb** Collaboration, R. Aaij et al., “Study of charmonium production in  $b$ -hadron decays and first evidence for the decay  $B_s^0 \rightarrow \phi\phi\phi$ ”, *Eur. Phys. J.* **C77** (2017), no. 9, 609, [arXiv:1706.07013](#). doi:[10.1140/epjc/s10052-017-5151-8](https://doi.org/10.1140/epjc/s10052-017-5151-8).
- [112] **LHCb** Collaboration, R. Aaij et al., “Improved limit on the branching fraction of the rare decay  $K_s^0 \rightarrow \mu^+\mu^-$ ”, *Eur. Phys. J.* **C77** (2017), no. 10, 678, [arXiv:1706.00758](#). doi:[10.1140/epjc/s10052-017-5230-x](https://doi.org/10.1140/epjc/s10052-017-5230-x).
- [113] **LHCb** Collaboration, R. Aaij et al., “Updated search for long-lived particles decaying to jet pairs”, *Eur. Phys. J.* **C77** (2017), no. 12, 812, [arXiv:1705.07332](#). doi:[10.1140/epjc/s10052-017-5178-x](https://doi.org/10.1140/epjc/s10052-017-5178-x).
- [114] **LHCb** Collaboration, R. Aaij et al., “Test of lepton universality with  $B^0 \rightarrow K^{*0}\ell^+\ell^-$  decays”, *JHEP* **08** (2017) 055, [arXiv:1705.05802](#). doi:[10.1007/JHEP08\(2017\)055](https://doi.org/10.1007/JHEP08(2017)055).
- [115] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $B_s^0$  and  $D_s^-$  meson lifetimes”, *Phys. Rev. Lett.* **119** (2017), no. 10, 101801, [arXiv:1705.03475](#). doi:[10.1103/PhysRevLett.119.101801](https://doi.org/10.1103/PhysRevLett.119.101801).
- [116] **LHCb** Collaboration, R. Aaij et al., “Observation of charmless baryonic decays  $B_{(s)}^0 \rightarrow p\bar{p}h^+h^-$ ”, *Phys. Rev.* **D96** (2017), no. 5, 051103, [arXiv:1704.08497](#). doi:[10.1103/PhysRevD.96.051103](https://doi.org/10.1103/PhysRevD.96.051103).
- [117] **LHCb** Collaboration, R. Aaij et al., “Resonances and  $CP$  violation in  $B_s^0$  and  $\overline{B}_s^0 \rightarrow J/\psi K^+K^-$  decays in the mass region above the  $\phi(1020)$ ”, *JHEP* **08** (2017) 037, [arXiv:1704.08217](#). doi:[10.1007/JHEP08\(2017\)037](https://doi.org/10.1007/JHEP08(2017)037).
- [118] **LHCb** Collaboration, R. Aaij et al., “First observation of a baryonic  $B_s^0$  decay”, *Phys. Rev. Lett.* **119** (2017), no. 4, 041802, [arXiv:1704.07908](#). doi:[10.1103/PhysRevLett.119.041802](https://doi.org/10.1103/PhysRevLett.119.041802).
- [119] **LHCb** Collaboration, R. Aaij et al., “Observation of the decays  $\Lambda_b^0 \rightarrow \chi_{c1}pK^-$  and  $\Lambda_b^0 \rightarrow \chi_{c2}pK^-$ ”, *Phys. Rev. Lett.* **119** (2017), no. 6, 062001, [arXiv:1704.07900](#). doi:[10.1103/PhysRevLett.119.062001](https://doi.org/10.1103/PhysRevLett.119.062001).
- [120] **LHCb** Collaboration, R. Aaij et al., “Observation of the  $B^+ \rightarrow D^{*-}K^+\pi^+$  decay”, *Phys. Rev.* **D96** (2017), no. 1, 011101, [arXiv:1704.07581](#). doi:[10.1103/PhysRevD.96.011101](https://doi.org/10.1103/PhysRevD.96.011101).

- [121] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $B^0$ ,  $B_s^0$ ,  $B^+$  and  $\Lambda_b^0$  production asymmetries in 7 and 8 TeV proton-proton collisions”, *Phys. Lett.* **B774** (2017) 139–158, [arXiv:1703.08464](https://arxiv.org/abs/1703.08464). doi:10.1016/j.physletb.2017.09.023.
- [122] **LHCb** Collaboration, R. Aaij et al., “Observation of the decay  $B_s^0 \rightarrow \eta_c \phi$  and evidence for  $B_s^0 \rightarrow \eta_c \pi^+ \pi^-$ ”, *JHEP* **07** (2017) 021, [arXiv:1702.08048](https://arxiv.org/abs/1702.08048). doi:10.1007/JHEP07(2017)021.
- [123] **LHCb** Collaboration, R. Aaij et al., “Observation of the  $\Xi_b^- \rightarrow J/\psi \Lambda K^-$  decay”, *Phys. Lett.* **B772** (2017) 265–273, [arXiv:1701.05274](https://arxiv.org/abs/1701.05274). doi:10.1016/j.physletb.2017.06.045.
- [124] **LHCb** Collaboration, R. Aaij et al., “Measurement of  $CP$  asymmetries in  $D^\pm \rightarrow \eta' \pi^\pm$  and  $D_s^\pm \rightarrow \eta' \pi^\pm$  decays”, *Phys. Lett.* **B771** (2017) 21–30, [arXiv:1701.01871](https://arxiv.org/abs/1701.01871). doi:10.1016/j.physletb.2017.05.013.
- [125] **LHCb** Collaboration, R. Aaij et al., “Measurement of matter-antimatter differences in beauty baryon decays”, *Nature Phys.* **13** (2017) 391–396, [arXiv:1609.05216](https://arxiv.org/abs/1609.05216). doi:10.1038/nphys4021.

## Other publications from members of the LHCb group (July 2017- December 2019)

- [1] J. Charles, S. Descotes-Genon, J. Ocariz et al., “Disentangling weak and strong interactions in  $B \rightarrow K^*(\rightarrow K\pi)\pi$  Dalitz-plot analyses”, *Eur. Phys. J.* **C77** (2017), no. 8, 561, arXiv:1704.01596. doi:10.1140/epjc/s10052-017-5133-x.
- [2] G. Aielli et al., “Expression of Interest for the CODEX-b Detector”, arXiv:1911.00481.
- [3] A. A. Alves Junior et al., “Prospects for Measurements with Strange Hadrons at LHCb”, *JHEP* **05** (2019) 048, arXiv:1808.03477. doi:10.1007/JHEP05(2019)048.
- [4] M. Borsato, V. V. Gligorov, D. Guadagnoli et al., “Effective-field-theory arguments for pursuing lepton-flavor-violating K decays at LHCb”, *Phys. Rev.* **D99** (2019), no. 5, 055017, arXiv:1808.02006. doi:10.1103/PhysRevD.99.055017.
- [5] V. V. Gligorov, S. Knapen, B. Nachman et al., “Leveraging the ALICE/L3 cavern for long-lived particle searches”, *Phys. Rev.* **D99** (2019), no. 1, 015023, arXiv:1810.03636. doi:10.1103/PhysRevD.99.015023.
- [6] V. V. Gligorov, S. Knapen, M. Papucci et al., “Searching for Long-lived Particles: A Compact Detector for Exotics at LHCb”, *Phys. Rev.* **D97** (2018), no. 1, 015023, arXiv:1708.09395. doi:10.1103/PhysRevD.97.015023.
- [7] **LHCb** Collaboration, R. Aaij et al., “Physics case for an LHCb Upgrade II - Opportunities in flavour physics, and beyond, in the HL-LHC era”, arXiv:1808.08865. arXiv:1808.08865.
- [8] **HFLAV** Collaboration, Y. Amhis et al., “Averages of  $b$ -hadron,  $c$ -hadron, and  $\tau$ -lepton properties as of summer 2016”, *Eur. Phys. J.* **C77** (2017), no. 12, 895, arXiv:1612.07233. doi:10.1140/epjc/s10052-017-5058-4.
- [9] E. Bertholet, E. Ben-Haim, B. Bhattacharya et al., “Extraction of the CKM phase  $\gamma$  using charmless 3-body decays of  $B$  mesons”, *Phys. Rev.* **D99** (2019), no. 11, 114011, arXiv:1812.06194. doi:10.1103/PhysRevD.99.114011.
- [10] S. Akar, E. Ben-Haim, J. Hebinger et al., “The time-dependent  $CP$  asymmetry in  $B^0 \rightarrow K_{\text{res}}\gamma \rightarrow \pi^+\pi^-K_s^0\gamma$  decays”, *JHEP* **09** (2019) 034, arXiv:1802.09433. doi:10.1007/JHEP09(2019)034.
- [11] **HFLAV** Collaboration, Y. S. Amhis et al., “Averages of  $b$ -hadron,  $c$ -hadron, and  $\tau$ -lepton properties as of 2018”, arXiv:1909.12524. arXiv:1909.12524.